

#### IN THE UNITED STATES TENT AND TRADEMARK OFFICE

FEB 2 4 2003

**Applicant** 

Hiroji Kawasaki

Serial No.

09/863,504

Examiner

Gimie, Mahmoud

Filed

May 23, 2001

Group Art Unit:

3747

For

The state of the s

RECOIL STARTER

## **AMENDMENT**

I hereby certify that this paper is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231

> February 18, 2003 Date of Deposit

Gary M. Butter

Attorney Name

33,841

PTO Registration No.

February 18, 2003

Date of Signature

**Assistant Commissioner for Patents** 

Washington, D.C. 20231

Sir:

In response to the Office Action dated November 22, 2002, applicants respectfully request the Examiner to reconsider the rejections in view of the following remarks and amendments.

### IN THE CLAIMS:

## Please amend claim 1 as follows:

1. (Amended) A recoil starter, comprising

a rotary driving member that is adapted to be rotated by pulling a recoil rope,
an interlocking rotary member that is adapted to be rotated independently of the rotary
driving member,

a buffering spring coupled directly between the rotary driving member and the interlocking rotary member, applying a rotational bias between the rotary driving member and the interlocking rotary member, and adapted to transmit the rotation of the rotary driving member to the interlocking rotary member, and

a hook portion at one end of the buffering spring and located within the buffering spring.

## Please add the following new claims:

--7. (New) A recoil starter, comprising

a rotary driving member that is adapted to be rotated by pulling a recoil rope,

an interlocking rotary member that is adapted to be rotated independently of the rotary

driving member, and

a buffering spring coupled between the rotary driving member and the interlocking rotary member, applying a rotational bias between the rotary driving member and the interlocking rotary member, and adapted to transmit the rotation of the rotary driving member to the interlocking rotary member,

wherein the interlocking rotary member includes a power transmission pulley to which the rotation of the rotary driving member is transmitted through the buffering member and a centrifugal ratchet mechanism coupled to the power transmission pulley and adapted to be coupled to a crankshaft of an internal combustion engine for transmitting the rotation of the power transmission pulley to the crankshaft of the internal combustion engine.

- 8. (New) The recoil starter according to claim 7, wherein the rotary driving member and the interlocking rotary member are disposed on a common rotational axis.
- 9. (New) The recoil starter according to claim 7, wherein the buffering member is a torsion coil spring or a spiral spring.
- 10. (New) The recoil starter according to claim 8, wherein the buffering member is a torsion coil spring or a spiral spring.—

## **REMARKS**

Reconsideration and withdrawal of the rejections of and objections to the claims set forth in the Official Action of November 22, 2002, are respectfully requested in view of the foregoing amendments and the following remarks.

Claims 1-6 are pending. Claims 1-5 have been rejected and claim 6 is objected to but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claim.

None of the amendments to the claims introduces new matter.

A marked-up version showing the new claims is appended hereto as Exhibit A.

Rejection of Claims 1-5:

Claims 1-4 stand rejected under 35 U.S.C. § 102(b) as being anticipated by Ohnishi (U.S. Patent No. 5,537,966). Claim 5 stands rejected under 35 U.S.C. § 103(a). The Examiner has asserted that the Ohnishi reference discloses a recoil starter, comprising a rotary driving member (24) that is adapted to be rotated by pulling a recoil rope (18), an interlocking rotary member (36) that is adapted to be rotated independently of the rotary driving member

(24), and a buffering spring (32) coupled between the rotary driving member (20) and the interlocking rotary member (32), applying a rotational bias between the rotary driving member (24) and the interlocking rotary member (36), and adapted to transmit the rotation of the rotary driving member (24) to the interlocking rotary member (36), as shown in Fig. 1-11.

Ohnishi necessarily includes speed reduction mechanism 40 and one-way clutch mechanism 60.

In the starter disclosed in Ohnishi, second drum 36 begins rotating through speed reduction mechanism 40, one-way clutch mechanism 60, and spiral spring 32 upon the repetitive driving of mechanism 40, one-way clutch mechanism 60, and spiral spring 32 upon the repetitive driving of pulley 16. According to the invention of the present application, however, the driving of through received transmitted to power transmitting pulley 31 through torsion coil spring 15 without the aid of the speed reduction mechanism and the one-way clutch mechanism.

Applicants have amended Claim 1 of the instant application to reflect this difference in the structures of Ohnishi and the instant application. Specifically, Claim 1 has been amended to intercite that the buffering spring is coupled directly between the rotary driving member and the interlocking rotary member. Accordingly, the Ohnishi reference does not disclose each and every element of amended Claim 1, nor does the Ohnishi reference suggest, either alone or in combination with any references made of record, the combination recited in amended Claim 1.

Thus, applicants respectfully submit that the rejection of Claim 1 under 35 U.S.C. § 102(b) should be withdrawn.

Applicants have submitted herewith a Supplemental Information Disclosure

Statement making of record Japanese Examined Utility Model Publication No. 6-16964 (1994).

According to a translation of claim 1 of the publication, a recoil starter for transmitting rotation

## **PATENT**

of a reel to a pulley located on an engine side is disclosed by utilizing a centrifugal ratchet cam, where the cam is rotatably mounted on the outer periphery of a boss portion extending from a bearing portion of a second reel and the first reel is connected to the cam with a damper spring. However, the invention as recited in amended Claim 1 of the instant application, unlike the Japanese Examined Utility Model Publication No. 6-16964, has hook portion 15a at one end of the torsion coil spring 15 that is located within the torsion coil spring 15 as shown in Figs. 1 and 2, which results in a width of the starter mechanism that can be shortened in the axial direction.

Because Claims 2-6 depend from what is now believed to be allowable Claim 1,

the rejections and objections to claims 2-6 should also be withdrawn.

## Objection to Claim 6:

Claim 6 stands objected to as being dependent upon a rejected base claim, but, according to the Examiner, would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. Claim 6 has been rewritten as new Claim 7, incorporating the limitations of original Claims 1 and 6 and thus should now be allowable. New Claims 7-10 depend from what is now believed to be allowable Claim 7 and thus should also be allowable.

## Conclusion:

In view of the foregoing, this application is believed to be in condition for formal allowance. Prompt and favorable action is respectfully requested.

COMMINIA ... CHEST

Attached hereto as Appendix A is a marked-up version of the changes made to the specification by the current amendment. The attached Page is captioned VERSION WITH MARKINGS TO SHOW CHANGES MADE."

Respectfully submitted,

Gary M. Batter

PTO Reg. No. 33,841

Tara E. Agnew

PTO Reg. No. 50,589

Attorneys for Applicant

(212) 408-2546

#### APPENDIX A

## VERSION WITH MARKINGS TO SHOW CHANGES MADE

## IN THE CLAIMS:

## Please amend claim 1 as follows:

1. (Amended) A recoil starter, comprising

a rotary driving member that is adapted to be rotated by pulling a recoil rope,
an interlocking rotary member that is adapted to be rotated independently of the rotary
driving member, and

a buffering spring coupled <u>directly</u> between the rotary driving member and the interlocking rotary member, applying a rotational bias between the rotary driving member and the interlocking rotary member, and adapted to transmit the rotation of the rotary driving member to the interlocking rotary member, and

a hook portion at one end of the buffering spring and located within the buffering spring.

## Please add the following new claims:

--7. (New) A recoil starter, comprising

a rotary driving member that is adapted to be rotated by pulling a recoil rope,
an interlocking rotary member that is adapted to be rotated independently of the rotary
driving member, and

a buffering spring coupled between the rotary driving member and the interlocking rotary member, applying a rotational bias between the rotary driving member and the interlocking rotary member, and adapted to transmit the rotation of the rotary driving member to the interlocking rotary member,

wherein the interlocking rotary member includes a power transmission pulley to which the rotation of the rotary driving member is transmitted through the buffering member and a centrifugal ratchet mechanism coupled to the power transmission pulley and adapted to be coupled to a crankshaft of an internal combustion engine for transmitting the rotation of the power transmission pulley to the crankshaft of the internal combustion engine.

- 8. (New) The recoil starter according to claim 7, wherein the rotary driving member and the interlocking rotary member are disposed on a common rotational axis.
- 9. (New) The recoil starter according to claim 7, wherein the buffering member is a torsion coil spring or a spiral spring.
- 10. (New) The recoil starter according to claim 8, wherein the buffering member a torsion coil spring or a spiral spring.—

# BAKER BOTTS LLE

						1	
		PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a)			Docket Number (Optional) A34202		
	OIP	E	In re Application of				
′ ∌ F	EB 2 4	2003	Application Number 09/863,504	4	Filed February 18, 2		
d d		SOF MARKETON	For RECOIL STARTER		* see attached	?	
X	RADE	MARTIN	Group Art Unit 3747	Examiner Mah	r nmoud M. Gimie		
· ·		This is a request under the provisions of 37 CFR 1.136(a) to extend the period for filing a reply in the above identified application.					
		The requested extension and appropriate (check time period desired):	non-small-entity fee are as follow	rs .	·		
		One month (37 CFR 1.17(a)	1))		\$		
Two months (37 CFR 1.17(a)(2))  Three months (37 CFR 1.17(a)(3))				\$			
				\$			
	<u> </u>	Four months (37 CFR 1.17(a)(4))					
	Five months (37 CFR 1.17(a)(5))						
	P Bod' code and Hod "H" III Hod cod Book wed Bod' odks	above is reduced by one-half, and to A check in the amount of the fee is  Payment by credit card. Form PTC  The Commissioner has already been application to a Deposit Account.  The Commissioner is hereby authoror credit any overpayment, to Deposit have enclosed a duplicate copy or lam the applicant/inventor  assignee of record of the Statement under 37 attorney or agent under Registration number if accounts.	O-2038 is attached. Seen authorized to charge fees in this  orized to charge any fees which may be required, posit Account Number 02-4377  of this sheet.  MAR 0  TECHNOLOGY (1)  TO CFR 3.73(b) is enclosed. (Form PTO/SB/96).  ord.		RECEIV  MAR 0 3 20  TECHNOLOGY CENTE	03	
		Fahruary 49, 2002	· le	7 _			
	•	February 18, 2003		Signature			
Date Signature PTO Reg No.: 33,841 Gary M. Butter							
	·			Typed or printe	d name		
		NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.					
Total offorms are submitted.							

A

Applicants

Hiroji Kawasaki

Serial No.

09/863,504

Examiner: Mahmoud M. Gimie

Filed

May 23, 2001

Group Art Unit: 3747

For

RECOIL STARTER

## SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this paper is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Assistant Commissioner for Patents, Washington, D.C. 20231

February 18, 2003

Date of Deposit

Gary M. Butter
Attorney Name

33,841

PTO Registration No.

Signature

February 18, 2003

Date of Signature

Assistant Commissioner for Patents Washington, D.C. 20231 RECEIVED

MAR 0 3 2003

Sir:

TECHNOLOGY CENTER R3700

Enclosed herewith are patents and/or publications for consideration by the Patent and Trademark Office in regard to the invention claimed in the above-described application. In compliance with §1.56, such documents are listed in the enclosed Form PTO-1449.

Applicants request that the Patent and Trademark Office make of record the above-identified documents. Unless otherwise indicated, a full text copy of each document is attached. For documents not in English, an English translation or an equivalent English language patent or publication is attached. Where a translation is not NY02:427895.1

00000090 09863504

02/26/2003 ZJUHRR1



**PATENT** 

available, a concise explanation of the relevance of each document not in English is included either here or in the specification.

Identification of the documents listed in the attached PTO 1449 Form is not to be construed as an admission of Applicants or Attorneys for Applicants that such documents are available as "prior art" against the above-identified application.

This Information Disclosure Statement is submitted according to the following selected paragraph: This Statement is being filed under §1.97(b) within three months of the filing I. date of the application, or before the first Office Action. This Statement is being filed under §1.97(c), with fee, prior to either a final II. action or a notice of allowance. A check for the fee required by §1.17(p) and a duplicate copy of this Statement is enclosed. This Statement is being filed under §1.97(c), with a statement under, §1.97(e) III. prior to either a final action or a notice of allowance. The undersigned hereby states that (check one): each item of information in this Statement was cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Statement. no item of information in this Statement was cited in a communication from a foreign patent office in a counterpart foreign application and, to the knowledge of the person signing this statement under §1.97(e) after making reasonable inquiry, was known to any individual designated in §1.56(c) more than three months prior to the filing of this Statement. This Statement is being filed under §1.97(d), with petition and statement IV. under §1.97(e), after a final action or a notice of allowance but prior to The undersigned hereby petitions that this payment of the issue fee. Statement be considered prior to issuance of the patent. A check for the fee required by §1.17(i) and a duplicate copy of this statement is enclosed. The undersigned hereby states that (check one):

# **PATENT**

from a foreign patent office	this Statement was cited in a communication in a counterpart foreign application not more the filing of this Statement. A copy of the						
knowledge of the person s making reasonable inquiry,	nis Statement was cited in a communication in a counterpart foreign application and, to the signing this statement under §1.97(e) after was known to any individual designated in on the prior to the filing of this Statement.						
V. Copies of the above-cited art were submitted to or cited by the Patent and Trademark Office under parent application Serial No/ and therefore additional copies of this art are unnecessary.							
The Commissioner is hereby authorized to charge payment of any additional fee to Deposit Account No. 02-4377.							
	Respectfully submitted,						
Dated: February 18, 2003	Gary M. Butter Patent Office Reg. No. 33,841						
	BAKER BOTTS L.L.P. 30 Rockefeller Plaza New York, New York 10112-4498						
	Attorney for Applicant (212) 408-2620						
Enclosures							

Enclosures